



**DEPARTMENT OF THE ENVIRONMENT
WATER SUPPLY PROGRAM**

Certifies That

CALIBER ANALYTICAL SERVICES, LLC
8851 Orchard Tree Lane, Towson, MD 21286

*Having duly met the requirements of the
Regulations Governing Laboratory Certification
And Standards of Performance In Accordance With
The Annotated Code of Maryland,
is hereby approved as a*


State Certified Water Quality Laboratory

*To perform the analyses indicated on the Annual Certified Parameter List,
which must accompany this certificate.*

Certification # 320

Date Issued September 29, 2011

Expiration Date September 30, 2012
(Not Transferable)


Administrator, Water Supply Program

This certification is subject to unannounced laboratory inspections



MARYLAND DEPARTMENT OF THE ENVIRONMENT

1800 Washington Boulevard • Baltimore MD 21230

410-537-3000 • 1-800-633-6101

Issued Date: September 29, 2011

Expiration Date: September 30, 2012

Martin O'Malley
Governor

Robert M. Summers, Ph.D.
Secretary

Anthony G. Brown
Lieutenant Governor

SDWA ANNUAL CERTIFIED PARAMETER LIST

Caliber Analytical Services, LLC

8851 Orchard Tree Lane

Towson, MD 21286

Christopher Shane

Certificate # 320

EPA ID # MD01053

ANALYTE	METHOD	STATUS
1,1,1-Trichloroethane	EPA 524.2	Certified
1,1,2-Trichloroethane	EPA 524.2	Certified
1,1-Dichloroethylene	EPA 524.2	Certified
1,2,4-Trichlorobenzene	EPA 524.2	Certified
1,2-Dichlorobenzene	EPA 524.2	Certified
1,2-Dichloroethane	EPA 524.2	Certified
1,2-Dichloropropane	EPA 524.2	Certified
1,4-Dichlorobenzene	EPA 524.2	Certified
Antimony	EPA 200.8	Certified
Arsenic	EPA 200.8	Certified
Barium	EPA 200.8	Certified
Benzene	EPA 524.2	Certified
Beryllium	EPA 200.8	Certified
Bromodichloromethane	EPA 524.2	Certified
Bromoform	EPA 524.2	Certified
Cadmium	EPA 200.8	Certified
Carbon Tetrachloride	EPA 524.2	Certified
Chlorobenzene	EPA 524.2	Certified
Chlorodibromomethane	EPA 524.2	Certified
Chloroform	EPA 524.2	Certified
Chromium	EPA 200.8	Certified
cis-1,2-Dichloroethene	EPA 524.2	Certified
Copper	EPA 200.8	Certified
Dichloromethane	EPA 524.2	Certified

1 of 2



Recycled Paper

www.mde.state.md.us

TTY Users 1-800-735-2258
Via Maryland Relay Service



MARYLAND DEPARTMENT OF THE ENVIRONMENT

1800 Washington Boulevard • Baltimore MD 21230

410-537-3000 • 1-800-633-6101

Issued Date: September 29, 2011

Expiration Date: September 30, 2012

Martin O'Malley
Governor

Robert M. Summers, Ph.D.
Secretary

Anthony G. Brown
Lieutenant Governor

SDWA ANNUAL CERTIFIED PARAMETER LIST

Caliber Analytical Services, LLC

8851 Orchard Tree Lane

Towson, MD 21286

Christopher Shane

Certificate # 320

EPA ID # MD01053

ANALYTE	METHOD	STATUS
Ethylbenzene	EPA 524.2	Certified
Lead	EPA 200.8	Certified
Mercury	EPA 200.8	Certified
Selenium	EPA 200.8	Certified
Styrene	EPA 524.2	Certified
Tetrachloroethylene	EPA 524.2	Certified
Thallium	EPA 200.8	Certified
Toluene	EPA 524.2	Certified
Total Trihalomethanes	EPA 524.2	Certified
trans-1,2-Dichloroethene	EPA 524.2	Certified
Trichloroethylene	EPA 524.2	Certified
Vinyl Chloride	EPA 524.2	Certified
(total) Xylenes	EPA 524.2	Certified

